



SAFETY DATA SHEET

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

MATERIAL NAME: Synthetic Roof Underlayment
PRODUCT DESCRIPTION: Polyolefin Coated Fabric laminated to Modified Bitumen
CHEMICAL FAMILY: Mixture
PRODUCT USE: Building and Construction
TRADE NAME (S): Roofnado™ AnchorDeck™ PSU
MANUFACTURER: Sentry Building Innovations
1209 Orange Street, Wilmington, New Castle, Delaware 19801
www.sentrybuilding.com
www.roofnado.com

TECHNICAL CONTACT 1 -843-735-1773
EMERGENCY CONTACT 1-800-262-8200 chemtec@chemtrec.com (8am-7pm US Eastern Time Zone, US and Canada)

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Overview All components listed for this product are bound within the product. When handled as intended and under normal conditions of use, the product listed in this SDS is not expected to pose a physical hazard or health risk to humans. This product does not contain any form of asbestos materials.

Prevention Avoid breathing dust, fumes, gas, mist, vapors, and/or spray.

Storage/Disposal Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Route of Exposure Skin, Eye, Ingestion

POTENTIAL HEALTH EFFECTS:

Inhalation Not expected under normal conditions of use.

Skin Not expected under normal conditions of use. Repeated contact may cause skin irritation due to roughness of product.

Ingestion Not intended to be ingested (eaten). If ingested, it may cause temporary irritation to the gastrointestinal (digestive) tract.

Eyes Not expected under normal conditions of use. If material comes in contact with the eyes, it may cause irritation.

Carcinogenicity When used under normal conditions, this product is not considered a carcinogen.



HAZARD RATING (NFPA)

HEALTH	0	
FLAMMABILITY	1	
REACTIVITY	0	
SPECIAL NOTICE	-	

HAZARD RATING (HMIS®)

HEALTH	0	
FLAMMABILITY	1	
PHYSICAL HAZARD	0	
PERSONAL PROTECTION	X	

NFPA – National Fire Protection Association

HMIS® is a registered trademark of the American Coatings Association

Degree of Hazard

- 0 - Minimal (Insignificant)
- 1 - Slight
- 2 - Moderate
- 3 - Serious (High)
- 4 - Severe (Extreme)

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS #	Weight %
Asphalt	8052-42-4	<80%
SBS	92651-65-3	<20%
Filler	1317-65-3	<15%
Light Stabilizer	1317-65-3	<4%
Polypropylene Woven/Nonwoven Coated Fabric	9003-07-0	<30%

Any concentration shown as a range is to protect confidentiality or is due to batch variability.

Note:

NA = Not Available

NE = Not Established

SECTION 4 – FIRST AID MEASURES

INHALATION Remove to fresh, uncontaminated air.

SKIN For minor burns due to molten plastic, use running cold water.



BUILDING INNOVATIONS

INGESTION If product is ingested, do not induce vomiting. If vomiting occurs, keep head lower than hips to avoid aspiration of vomit into the lungs, which can cause inflammation or pneumonitis. Get immediate medical attention.

EYES If material comes into contact with the eyes, immediately flush with plenty of cool water for at least 20 minutes preferably at an eye wash fountain or until irritation subsides, occasionally lifting the eye lids to ensure thorough rinsing. If irritation develops or persists, seek medical attention.

**NOTES TO PHYSICIANS/
FIRST AID PROVIDERS** None

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA Water spray, Foam, Carbon Dioxide, Dry Chemical.

UNSUITABLE EXTINGUISHING MEDIA No data available

**HAZARDOUS COMBUSTION-
PRODUCTS** Carbon Dioxide, Carbon Monoxide, Unidentified organic compounds. If burned, the material could release toxic fumes and smoke.

FIRE FIGHTING PROCEDURES Combustible. Avoid breathing fumes. Use extinguishing measures that are appropriate to local circumstances and surrounding environment.

FIRE FIGHTER PROTECTION Molten polypropylene tends to flow or drip; proper protection required. Firefighters should not enter confined space without wearing NIOSH-approved self-contained breathing apparatus with full face mask and protective equipment.

**UNUSUAL FIRE AND-
EXPLOSION HAZARDS** None known

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Not applicable

EMERGENCY PROCEDURES Not applicable

**ENVIRONMENTAL-
PRECAUTIONS** No data available

CLEAN-UP PROCEDURES Pick up large pieces. Vacuum dust. If sweeping is necessary, avoid creating dusts by using a dust suppressant such as water. This will help to minimize potential exposures.

WASTE DISPOSAL METHOD Scoop up material and dispose in accordance with Federal, State, and local regulations. Do not burn.



SECTION 7 – HANDLING AND STORAGE

HANDLING PROCEDURES

When handling uncontained material, use personal protective equipment as described in Section 8 of this SDS.

STORAGE PROCEDURES

Store material in accordance with instructions on the product packaging, if any. Material should be kept clean, dry, and in original packaging. Keep this product away from heat, sparks, ignition sources, and open flames in accordance with applicable laws and regulations.

SPECIAL PACKAGING-MATERIALS

No data available

INCOMPATIBLE MATERIALS

Not known

OTHER PRECAUTIONS

Comply with OSHA and other safety standards and codes for roof work. Always use Fall Protection Systems when working on roofs. Product may be slippery when wet, dusty or covered with water, ice, dew, frost, or snow. Do not walk on material that has not been securely fastened to the roof deck.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY-PROTECTION

Not needed under normal use conditions.

EYES/FACE PROTECTION

Safety glasses with side shields are recommended

HANDS PROTECTION

Leather or Cotton gloves recommended when handling to protect against mechanical abrasion. Promptly clean hands with waterless hand cleaner, clean fingernails and wash with soap and water after handling.

SKIN/BODY PROTECTION

Normal work clothing (long sleeved shirts, long pants, and non-skid shoes or boots with 6-inc leather uppers) is recommended during application and/or tear-off activities

OTHER PROTECTIVE- EQUIPMENT

Should be provided as necessary to prevent irritation of the throat, eyes, and skin and to keep exposures below the applicable exposure limits identified in this section.

WORK HYGIENE-PRACTICES

Use good industrial hygiene practices when handling the material. Wash exposed skin prior to eating, drinking or smoking and at the end of the shift.

EXPOSURE GUIDELINES

Handle using methods and techniques that minimize dust or fume generation.

ENGINEERING CONTROLS/ VENTILATION

Not needed under normal conditions of use.



BUILDING INNOVATIONS

CHEMICAL NAME	COMMON NAME	CAS NUMBER	EXPOSURE LIMIT	
			ACGIH (TWA)	OSHA (PEL)
Polypropylene	Non-woven and Woven Fabric	9003-07-0	10 mg/m ³	15 mg/m ³
Polyethylene	Polymer Extrusion Coating	9002-88-4	10 mg/m ³	15 mg/m ³
Calcium Carbonate	Calcium Carbonate	1317-65-3	NE	NE
Light Stabilizer	UV Additive Masterbatch	70624-18-9	NE	NE
Asphalt (as fumes)	Asphalt	8052-42-4	5 mg/m ³	5 mg/m ³
SBS Polymer	SBS	92651-65-3	NE	NE

Note:

NA = Not Available

NE = Not Established

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical Form	Solid	Taste	No data available
Appearance	Sheet in roll form	Odor	Mild petroleum odor
Color	Various colors	Odor Threshold	No applicable
Boiling Point	N/A	Vapor Pressure	No data
Melting Point	>235 ⁰ F	Vapor Density	No data
Freezing Point	No data	Evaporation Rate	No data
Specific Gravity	Variable	VOC (Weight)	No data
Density	No data	VOC (Volume)	No data
Bulk Density	No data	Volatiles (Weight)	No data
Viscosity	No data	Volatiles (Volume)	No data
pH (Undiluted Product)	No data	Flash Point	>570 ⁰ F
Water Solubility	Insoluble	Flash Point Test Type	COC
Solvent Solubility	No data	Upper Explosion Limit	No data
Partition Coefficient - Octanol / Water	No data	Lower Explosion Limit	No data
Molecular Weight	No data	Auto Ignition	No data
Decomposition Temp.	No data	Flammability (Solid, Gas)	No data



SECTION 10 – STABILITY AND REACTIVITY

THERMAL STABILITY	Stable under normal conditions of use.
HAZARDOUS-DECOMPOSITION	Upon decomposition this product may form carbon dioxide, carbon monoxide, and unidentified organic compound during heating or burning.
HAZARDOUS-POLYMERIZATION	Will not occur.
CONDITIONS TO AVOID	Keep this product away from heat, sparks, ignition sources, and open flames in accordance with applicable laws and regulations.
INCOMPATIBLE MATERIALS	None known

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE EFFECTS	Repeated contact may cause skin irritation due to roughness of product. If material comes in contact with the eyes, it may cause irritation. If ingested, it may cause temporary irritation to the gastrointestinal (digestive) tract.
CHRONIC EFFECTS	None known

SECTION 12 – ECOLOGICAL INFORMATION

ECOTOXICITY	No data available for this product
PERSISTENCE/DEGRADABILITY	No data available for this product
BIOACCUMULATION POTENTIAL	No data available for this product
MOBILITY IN SOIL	No data available for this product
OTHER ADVERSE EFFECTS (GHG, OZONE)	No data available for this product

SECTION 13 – DISPOSAL CONSIDERATIONS

PRODUCT INFORMATION	This product, as supplied, is not expected to be a hazardous waste when it is disposed of according to the U.S. Environmental Protection Agency (EPA) under Resource Conservation and Recovery Act (RCRA) regulations.
DISPOSAL INSTRUCTIONS	Dispose of waste material in accordance with Federal, State, and Local environmental regulations.
RCRA CLASS	None



BUILDING INNOVATIONS

SECTION 14 – TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION

Proper Shipping Name	N/A
Hazard Class	N/A
ID Number	N/A
Packing Group	N/A
Label Statement	N/A
Other	N/A

INTERNATIONALTRANSPOR REGULATION

This product is not classified as dangerous goods according to international transport regulations.

UN Number	N/A
UN Proper Shipping Name	N/A
Packing Group	N/A
Environmental Hazards	N/A
Transport in Bulk	N/A
Special Precautions	N/A

SECTION 15 – REGULATORY INFORMATION

INTERNATIONAL REGULATIONS

These products are not considered articles per international product regulations and as such, these products do not require registration or notification on the various country-specific inventories.

U. S. FEDERAL REGULATIONS

TSCA None

CERCLA None

SARA

Section 302 None of the product components are listed under this section

Section 311/312 None of the product components are listed under this section

Section 313 None of the product components are listed under this section

STATE REGULATIONS None

Note: TSCA Toxic Substances Control Act

CERCLA Comprehensive Environmental Response Compensation and Liabilities Act

SARA Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III



Section 302 Extremely Dangerous Hazardous Substances
Section 311/312 Immediate health; Delayed health; Fire hazard
Section 313 Reportable Ingredients

SECTION 16 – OTHER INFORMATION

DATE OF PREPARATION	August 24, 2020
DATE OF LAST REVISION	N/A
CHANGES SINCE LAST- REVISION	N/A
PREPARED BY	Sentry Building Innovations

DISCLAIMER

The information and recommendations contained herein are to the best of the manufacturer's knowledge and belief, and are presented in good faith and believed to be accurate as of the effective date given. However, no warranty, expressed or implied, is given. It is the buyer's responsibility to ensure that its activities comply with Federal, State, and Local laws. The supplier shall not be liable for any loss or damage arising out of the use thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to ensure the suitability and completeness of such information for a particular use. No information or recommendation shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.